

NATIONAL ARCHIVES OF IRELAND

NAI/PLIC/1

Archives are subject to copyright and should not be copied or reproduced without the written permission of the Director of the National Archives

James O'Dunger

REPORTED ON BY COMMITTEE.

1:27 EB.1917

Assessors Report. 12th January 1917

6 7 9 7 Name of Claimant James O'Dwyer (Tailor &c) Claim No.

Situation of Property

16 Henry Street, Dublin.

Description Claim Insurance (if any) Commissioners Valuation of full Damage Valuation of full Damage Further damage to Building caused by collapse of Walls in Gale November 3rd Loss Payable on basis of Insurance Further damage to Building caused by collapse of Walls in Gale November 3rd Totals, £ 2352:15:5 Totals, £ 2352:15:5 Commissioners Valuation of full Damage Loss Payable on basis of Insurance Faces of Loss over and above amount payable under the Policies Excess of Loss over and above amount payable on basis of Insurance Further damage to Buildings 2332:15:5 980 980 980								
to Building caused by collapse of Walls in Gale of November 3rd 2332:15:5 980 980	Description	Claim		Valuation of	Valuation of full	on basis of	over and above amount payable under the	
(41 A 10 Get Circ (h.141) 1	to Building caused by collapse of Walls in Gale (November 3rd		•		980		980	
Totals, £ 2332:15:5 980 980	but Circ (h141) how for 52 581 how for no							
	Totals, £	2332:15:5			980	200	980	

The Insurance has already been exhausted - See Report 26th August 1916 on Claim No. 6 4 1-A

Interests in the buildings Claimant is Lease-holder.

A.Armstrong & Coy Ltd and Arnott & Coy Ltd, also Lease-holders.

For other Interests See Claim Papers No. 1 8 0 0.

Award of Committee: Contents

Buildings 7980

[12 FEB. 1917]

pleasant dhow 28th Novr.

No.641A. - 16 Henry St., - Building. Dear Sir.

As intimated in my letter of the 11th instant the Committee have already forwarded their report in this case to the Government, and they are unable therefore to deal with the further claim now to hand.

Yours faithfully.

Inra bosis settemen would by Energ Referred to home Secretary.

for assessmen

Acr \$ 15/1

141416

Mr James O'Dwyer, 97 Hollybank Road, Drumcondra.

Death with by offices . Summe

Supplemental to Building claim 641 th

Property Losses (Ireland) Committee, 1916.

51 ST. STEPHEN'S GREEN, EAST, DUBLIN.

Claim for Damages caused during the Disturbances on the 24th April, 1916, and following days.

fames O'Droyer now residing	
at 67 Helle h Par h City & hell:	
at 97 Hollybank Rome Somewhin the City of South do hereby solemnly and sincerely declare that on or about the 28 th day of Jule	
do hereby solemnly and sincerely declare that on or about the 28 day of	
1916, damage was done to the undermentioned Property, namely:—* Bucking 7	ate ation of
no 16 Hany Start South	erty aged.
and such damage was occasioned to the best of my our belief by** 7	lere state
The walls now claimed for were blow som in the gale of now 3' ind	age.
And I further declare that the Property and Articles specified on the other side were	
so destroyed or damaged; that the Cost Price of same was as shown in each case; that at the time of the destruction or damage they were respectively of the Values	
specified under the head "Value of Property at time of Destruction or Damage";	
and that, in consequence of such destruction or damage, claim is hereby made for the	
sums specified under the head "Amount Claimed"; that the Claim is made by me	art.
ast transfer t Lesses; and that no person is interested in "Les	ner," ssee," rtgagee,"
the said property except; hesse and to lesson as the may be	e case be.
"mys "our	ert self," or selves," he names
and that it is not insured by me or any other person. § except as follows, namely —	ortgagors, gagees, rs, es, or owners
Common D.I. N. A 10 the w	ke out ords ving if
the pi	roperty is isured.
Ind + Lin Fin , , , £ 5-00	
And I make this solemn Declaration conscientiously believing the same to be true, and by	
virtue of the provisions of the Statutory Declarations Act, 1835.	'
Made and subscribed the 25 day of	
November 1916, at 1910	
Taffen I Breth in the said City,	
before me, a Justice of the Peace for the said	
Signature : 1 City County:	
of Claimants Muss of Surjey // Multi-	7 Suple
Note—This Claim is to be furnished in duplicate, and should be accompanied by the Policies of Fire Insurance	Jun
and the last receipt, in each case, or certified copies of same. When completed it is to be forwarded to the Secretary of the Committee, 51 St. Stephen's Green, East, Dublin.	

PARTICULARS OF THE CLAIM.

(TO BE GIVEN IN DETAIL.)

	BE GI	VEN	IN	DETA	11.)								
DESCRIPTION OF PROPERTY DESTROYED	Cos	Cost Price			f Prope Destru Damage	iction	Value	of Sa	dvage.	Amou	Amount Claimed.		
OR DAMAGED.		8		£	8	d.	£	8.	d.	£	8.	d.	
This claim is made for Juther													
damage caused to the brieding													
16 Henry struck by the gale of													
now 3° mot.													
The walls which were standing													
after the fine were believed the													
strug much het and not be													
posteted + were demolished by the													
storm.													
20 1 1 2 2 4 1													
To amount of Just daninge													
is measured by J. B. O. Rowske													
Surveyed I buffock St													
not included in the two jours	claim	0							ŧ:	332	15	5	
Carried forward,													
Con the period of the period o													

SUPPLEMENTARY STATEMENT OF CLAIM

____ In connection with ____

THE PREMISES No. 16, HENRY ST. DUBLIN.

For ---

MESSRS. JAMES O'DWYER & CO.

Francis B. O'Rourke

Surveyor,

1. Suffolk St.,

Dublin.

Architect,

11. College Green.

Dublin .

A.V. O'Rourke Esq C.H.

Novr. 1916.

NOTE

A claim in connection with the destruction of the above premises was prepared and lodged on August 1st and the following is additional to same, consequent on the collapse in the gale of November 3rd of the greater portion of the remainder of the premises and which it was reasonably hoped might have been saved and which was not measured in former claim.

ITEM

Allow for clearing the site of fallen

Corporation charges

debris, taking down etc., per Contract
or's Account

1/0

Forward

£

175 -

	Brought forward	£	175	-	
ITEM	Allow for replacing scaffolding, strutting, shoring, plant etc. destroyed per Contractor's Account		94		
ITEM	Provide for copies of new drawings for Contractor's own use, the Architect supplying one set of drawings and one copy of Specification for the use of the foreman in charge of the works.		3	0	0
ITEM	Provide additional water for the use of the works		2	0	0
ITEM	Provide additional protection from frost snow or heavy rains		2	10	0
ITEM	Do. removal of additional surplus rubbish and material accumulating during the progress of the works		5	0	0
ITEM	Do. additional plant scaffolding, tackle, and machinery for works		7	0	0
ITEM	Do. additional attendance of trade upon trade		4	10	0
	Forward 2	£	293	-	-

A Y						
		Brought forward	£	293	-	-
ITEM		re fresh notices on adjoining owners		1	10	0
ITEM	1	refully shore up as directed remaining portions of walls while removing and provide strong timbers necessary		7	10	0
ITEM		epare and level foundation and other walls for rebuilding		8	10	0
		CONCRETOR & BRICKLAYER				
456 Yds.0	Jube	Brickwork in mortar in walls including extra labour to rough arches &c.	37/6	855	0	0
14 Yds.0	Jube	Do. in chimney shafts and between same above roof level	40/-	28	0	0
124 Yds.0	Jube	Extra for cement mortar	5/6	34	2	0
19 Yds.(Jube	Labour to opens	3/6	2	16	6
		Extra on brickwork for picked stock facing and pointing Do. for facing with first quality	2/6	23	7	6
		Portmarnock and pointing Forward 3	4/6 £	24 1278	19	6

*	1					
		Brought forward	2	1278	15	6
27	Ft. Supl.	Extra for ornamental filling in to		1		
			2/-	2	14	0
77	Ft.Supl.	Do. for ornamental tile panels with				
		molded brick margins	2/6	9	12	6
36	Ft.Supl.	Do. do. in 12 x 12 squares with mold-	10			
		ed brick margins	2/9	4	19	0
133	Ft.Supl.	Extra on picked stock facing for seg-				
		mental arches (measured on face on	1-7		4	
		soffite)	1/3	8	0	3
96	Ft.Supl.	Do. do. circular and do.	1/9	8	.8	0
33	Ft.Supl.	Extra on Portmarnock facing for circular				
		arch	2/3	3	14	3
51	Ft.Supl.	Do. do. for semicircular arches	1/6	3	16	6
155	Ft.Linl.	Extra for bricks set projecting in				
		chimney shafts	3d	1	18	9
	No.11	Extra for bricks set projecting in				
		keystones	6d		5	6
79.	Ft.Linl.	Extra on portmarnock for molded brick				
		set projecting	1/-	3	19	0
		Forward	£	1326	9	3
		4				

>	1					
		Brought forward	£	1326	9	3
	No.31	Extra for solid angles	1/6	2	6	6
112	Ft.Sup.	Extra on brickwork for rough axed seg- mental arches	1/-	5	12	0
	No.6	Do. for rough axed relieving arches	1/-		6	0
59	Ft.Supl.	Rough cutting to skews	4d		19	8
35	Ft.Supl.	Rough oircular cutting	6a		17	6
61	Ft.Supl.	Rough outting to gables	5d	1	5	5
15	Ft.Supl.	Fair cutting on brick facing to skews	2d		2	6
29	Ft.Supl.	Fair circular cutting over arches	4d		9	8
1329	Yds .Ldnl	. 2" x 1 Hoop iron bond and laying and properly connected at junctions	5d	27	13	9
	No.17	Make good to window sills	1/-		17	0
43	Ft.Linl	. Extra for molded brick course 3" high	6d	1	1	6
	No .12	Extra for solid angles Forward	1/6 £	1368	18	9
		5				

*						
		Brought forward	£	1368	18	9
21	Ft.Lin1.	Extra for chamfered brick course 3"				
		high	6đ		10	6
	No.5	Solid angles	1/-		5	0.
37	Yds.Supl.	Fibrous asphalte damp course well				
		lapped and laid on walls (measured				
		nett)	2/3	4	3	3
457	Ft.Linl.	Extra on brickwork for 10" fireclay				
		fluelinings including bends and				
		cuttings	1/1	24	15	1
76	Ft.Lin1.	Do. do. to 8" fireclay vent flue				
		and do. do.	10d	3	3	4
	No.1	Patent cowl on do.	17/6		17	6
	No.11	Ornamental Patent chimney pots includ-				
		ing setting and cement quiring	24/6	13	9	6
	No.11	Form fireplace opens, turn arches over				
		gather in and cement parquet to flue-				
		linings	5/-	2	15	0
	No.4	6" Cement concrete (5 to 1) hearths				
		finished with level florated surface	7/6	1	10	0
		Forward	£	1420	7	11
		6			/	

151 Yds.Supl.	Brought forward 4" Thick (5 to 1) concrete floor finished with an additional thick- ness of 2" granolithic	£ 5/6	1420		6
ITEM	Allow the sum of £35 for damage to and replacing shaken or broken portions of drainage system, including excavation, concrete beds, pipes, filling in etc.		3 5	0	0
ITEM	Allow for smoke and water testing drains		1	0	0
ITEM	Allow for connection to street main including opening up &c and pay- ing Corporation fees		8	0	0
ITEM	Allow for repairs to area walls	-	14	0	0
	AMOUNT FOR PRELIMINARY WORKS CONCRETOR & BRICKLAYER &c. FORWARD TO SUMMARY	2	1519	18	5
	7				

CUT STONE &c.

		CUT STONE &co.				
98	Ft. Linl.	18" x 6" weathered moulded rebated	- //	.,		
		and throated both sides gable coping	9/6	46	11	0
	No.4	Extra on do. for Kneelers	20/-	4	0	0
	No.1	Do. large ornamental Apex stone	10/-	5	10	0
	No.2	Do. ornamental finials	70/-	7	0	0
	No.12	Copper cramps and running	6/-	3	12	0
21	Ft.Lin1.	Molded cornice 16" x 9" to pediment &c.	14/-	14	14	0
	No.1	Extra for breaks over pier	50/-	2	10	0
	No.8	Red Mansfield stone keystones	15/-	6	0	0
	No.2	Extra large do.	20/-	2	0	0
	No.2	Do. molded caps to do. with return molded ends	8/6		17	0
	No.9	Red Mansfield stone panels	45/-	20	5	0
	No.6	Roughly squared templates 14 x 14 x 6	5/6	1	13	0
		Forward	£	114	12	-
		8		3		
					To the same	No. of Concession, Name of Street, or other

	Brought forward	£	114	12	-
No.6	Do. base stones 18 x 18 x 9	10/-	3	0	0
No.1	Limestone base to pilaster 2'0" x 2'0"				
	x 1'6" high finely chiselled on two				
	faces and two 9" returns with 6"				
	girt molding, three external mitred				
	angles, and two stopped ends at face				
	of wall and setting in cement	60/-	3	0	0
No.2		y			
	chiselled on three faces 1'2" x 1'2"				
	x 2'0" high with returns, external				
	angles, stopped ends and do.	65/-	6	10	0
No.2	Do. dentilled molded caps under last				
	2'6" x 9" x 1'9" as shewn and do. do.	55/-	5	10	0
	7.101 - 7101 -				
No.2		,			
	1'0" and do. do. do.	50/-	5	0	0
No 2	Winted combals 1'6" x 1'6" x 2'3" high				
110.2		75/-	7	10	0
	SB BIGMI OWN GIT ON DATA	12/			
Ft.Lin1.	Limestone plain strung, including angles				
	&c. and set as before		5	0	0
Ft.Lin1.	Molded and dentilled limestone cornice				
	as shewn and all as before	17/6	17	10	0
		-			
	Forward	£	167	12	-
	9				
	No.2 No.2 No.2	No.6 Do. base stones 18 x 18 x 9 No.1 Limestone base to pilaster 2'0" x 2'0" x 1'6" high finely chiselled on two faces and two 9" returns with 6" girt melding, three external mitred angles, and two stopped ends at face of wall and setting in cement No.2 Ornamental Limestone pediment caps finely chiselled on three faces 1'2" x 1'2" x 2'0" high with returns, external angles, stopped ends and do. No.2 Do. dentilled molded caps under last 2'6" x 9" x 1'9" as shewn and do. do. No.2 Panelled bases to last 1'2" x 3'0" x 1'0" and do. do. No.2 Fluted corbels 1'6" x 1'6" x 2'3" high as shewn and all as before Ft.Lin1. Limestone plain string, including angles &c. and set as before Ft.Lin1. Molded and dentilled limestone cormice as shewn and all as before	No.6 Do. base stones 18 x 18 x 9 10/- No.1 Limestone base to pilaster 2'0" x 2'0" x 1'6" high finely chiselled on two faces and two 9" returns with 6" girt molding, three external mitred angles, and two stopped ends at face of wall and setting in cement 60/- No.2 Ornamental Limestone pediment caps finely chiselled on three faces 1'2" x 1'2" x 2'0" high with returns, external angles, stopped ends and do. 65/- No.2 Do. dentilled molded caps under last 2'6" x 9" x 1'9" as shown and do. do. 55/- No.2 Panelled bases to last 1'2" x 3'0" x 1'0" and do. do. do. 55/- No.2 Fluted corbels 1'6" x 1'6" x 2'3" high as shewn and all as before 5/- Ft.Linl. Limestone plain string, including angles &c. and set as before 5/- Ft.Linl. Molded and dentilled limestone cornice as shewn and all as before	No.6 Do. base stones 18 x 18 x 9 10/- 3 No.1 Limestone base to pilaster 2'0" x 2'0" x 1'6" high finely chiselled on two faces and two 9" returns with 6" girt molding, three external mitred angles, and two stopped ends at face of wall and setting in cement 60/- 3 No.2 Ornamental Limestone pediment caps finely chiselled on three faces 1'2" x 1'2" x 2'0" high with returns, external angles, stopped ends and do. 65/- 6 No.2 Do. dentilled molded caps under last 2'6" x 9" x 1'9" as shown and do. do. 55/- 5 No.2 Panelled bases to last 1'2" x 3'0" x 1'0" and do. do. do. 55/- 5 No.2 Fluted corbels 1'6" x 1'6" x 2'3" high as shown and all as before 75/- 7 Ft.Linl. Limestone plain strang, including angles &c. and set as before 5/- 5 Ft.Linl. Molded and dentilled limestone cornice as shown and all as before 17/6 17	No.6 Do. base stones 18 x 18 x 9 10/- 3 0 No.1 Limestone base to pilaster 2'0" x 2'0" x 1'6" high finely chiselled on two faces and two 9" returns with 6" girt molding, three external mitred angles, and two stopped ends at face of wall and setting in cement 60/- 3 0 No.2 Ornamental Limestone pediment caps finely chiselled on three faces 1'2" x 1'2" x 2'0" high with returns, external angles, stopped ends and do. 65/- 6 10 No.2 Do. dentilled molded caps under last 2'6" x 9" x 1'9" as shown and do. do. 55/- 5 10 No.2 Panelled bases to last 1'2" x 3'0" x 1'0" and do. do. do. 50/- 5 0 No.2 Fluted corbels 1'6" x 1'6" x 2'3" high as shown and all as before 75/- 7 10 Ft.Linl. Limestone plain strang, including angles &c. and set as before 5/- 5 0 Ft.Linl. Molded and dentilled limestone cornice as shown and all as before 17/6 17 10

>

		Brought forward	£	167	12	* .	
120	Ft. Linl.	In ornamental limestone strings or bands including all angles and setting as before.	12/6	75	0	0	
33	Ft.Linl.	In do. do. but circular and setting &c.	18/-	29	14	0	
	ITEM	Cover and protect and clean down all Cut Stone &c. and leave entire perfect on completion		5	0	0	
		AMOUNT FOR CUT STONE &c. FORWARD TO SUMMARY	&	277	6	-	

		OTHER TRADES				
54	Ft. Linl.	Turning pieces to flat arches	7d	1	11	6
26	Ft. Linl.	Do. to segmental arches	9đ.	1	19	0
	No.11	Cradled centres to semicircular re- vealed arches 3'0" diameter and 9" soffite	12/6	6	17	6
	No.1	Strong cradled centre to circular arch 13'0" diameter and 9" soffite	65/-	3	5	0
49	Ft.Cube	White deal rough and fixed in lintols	5/6	13	9	6
76	Cwts.	In No.2 compound or built up girders with % top and bottom plates and bolting and fixing in position includ- ing hoisting to first floor level		114	0	0
12	Cwts.	In No.2 Smaller sections including %" top and bottom plates and all as last and fixing above last	24/-	14	8	0
	No.11	Wrot iron cambered and caulked chimney bars and building in, weight about 15 lbs. each Forward	6/-	<u>3</u> /58	6 16	6
		11				

		Brought forward	£	158	16	6
	ITEM	Provide the sum of £12 to cover cost of specially long wrot iron ties bolts plates &c. and fixing at different points		12	0	0
	ITEM	Provide for removal of present damaged pavement light and replacing with new frame and prismatic glass, size about 8'0" x 4'0" and fixing		15	10	0
	ITEM	Provide the sum of £17 to cover cost of replacing down pipes with hopper heads bends &c. and 2" cast iron vent pipes straps &c. and fixing		17	0	0
93	Yds.Supl.	Three coat cement plastering (3 to 1) to chimney shafts and buttressing walls &c.		23	5	0
	ITEM	Provide the sum of £30 for contingencies this sum to be at the disposal of the Architect to provide for any unforseen work not otherwise provided for	3,	30	0	0
		AMOUNT FOR OTHER TRADES FORWARD TO SUMMARY	3	256	//	6

SUMMARY

		Page	. €		s d
	Amount for Preliminary Works, Concretor				
	Bricklayer &c.	7	1519	18	5
	Amount for Cut Stone &c.				
	Amount for odd boone oo.	10	277	6	-
	Amount for Other Trades	12	256	//	6
		£	2053	15	//
ITEM	Allow further cost of Fire Insurance	£	1	10	6
ITEM	Do. do. Workmen's Compensation Acts	8 7			
ITEM	Do. do. National Health Insurance do.	23	61	10	-
		2	2116	16	5
ITEM	Add Architect's Fees on at 11/2%	£	26	9	-
ITEM	Do. Surveyor's Fees @ 2%	£	42	12	6
ITEM	Do. cost copies of Claims	£	1	17	6
	Do. Architect's Fees (reconstruction of	£	105	16	-
ITEM	this portion) 5%				
ITEM	Do. Surveyor's Fees (do.) 14%	£	31	14	-
		&	3/	14	0
ITEM	Do. Surveyor's Fees (do.) 11%	& .	31 7	10	0

F

1, Suffolk St., Dublin.